



Michael Voccola
<mvoccola@procgroup.com>

01/16/2005 10:18 AM
Please respond to
mvoccola

To: Frank Gardner/R1/USEPA/US@EPA
cc: Ronald Gonzalez/R1/USEPA/US@EPA, "Richard C. Hittinger, LSP - Alliance Environmental" <rhittinger@allianceenvironmentalgroup.com>, "Alexandra K. Callam, Esq. - Hinckley Allen & Snyder"
Subject: Carrington Street, Lincoln, Rhode Island

Frank and Ron:

No sooner did we speak on Friday regarding the comments on the Administrative Order and Consent issued by your office a few weeks back, and our discussion about the RI Department of Health, I received a formal approval letter from RIDOH for the submitted asbestos abatement plan. A copy is attached.

I now know that your EPA order trumps the RIDOH, and we should have responded to the Administrative Order directly and avoided RIDOH. However, for the most part it now appears moot, aside from the monitoring issues raised in the RIDOH letter.

That aside, per my conversation with Sharon and you on Friday, our environmental counsel, Alexandra Callam and I will review and comment on the Administrative Order and get back to you by mid-week.

Thank you for your call and we look forward to resolving this in short order.

Michael A. Voccola, Esq.
THE PROCACCIANTI GROUP, LLC
1140 Reservoir Avenue
Cranston, Rhode Island 02920-6032
T: 401 946 4600 Extension 136
F: 401 942 9689
M: 401 952 3181
E: mvoccola@procgroup.com
W: www.procgroup.com



RIDOH Asbestos Abatement Plan Approval - 1-16-05.pdf



SEMS DocID 638780

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
D E P A R T M E N T O F H E A L T H



Safe and Healthy Lives in Safe and Healthy Communities

Jan 11, 2005

MICHAEL VOCCOLA
DIRECTOR
F D S INDUSTRIES
1140 RESERVOIR AVENUE
CRANSTON RI 02920

REC'D JAN 14 2005

Plan No.: 040570

Dear Mr. Voccola:

This is in reference to the asbestos abatement plan which you submitted for:
Lonsdale Bleachery, 1 Carrington Street, Lincoln, RI 02865.


The above referenced asbestos abatement plan is hereby approved as conforming to
Part C of the Rhode Island Rules and Regulations for Asbestos Control.

Please note that a licensed asbestos abatement contractor shall submit an ASB-22
start work notification at least 10 working days before any on-site work begins
at a planned asbestos project. In addition, a licensed site supervisor shall
notify this office by telephone when the licensed asbestos contractor begins site
preparation.

A "Confirmation of Receipt of Asbestos Disposal" form (ASB-23) and results
of clearance air sample(s), or personnel monitoring where applicable, must be
received by this Office for the project to be considered complete.

If you have any further questions concerning the above referenced asbestos
abatement plan, please contact Cheryl Vincent of this office at (401) 222-3601.

Very truly yours,


Alfred J. Sabral
Supervising Industrial Hygienist
Office of Occupational and
Radiological Health

cheryl
pc: John Lavoie
[LstdASB-22]